Essential Supplement to Defeat the **Pregnancy Complications....**



Arginglob SACHET

L-arginine 3mg+Proanthocyanidin 75+Folic Acid 5mg+Zinc Sulfate Monohydrate Ip 61.8 Mg Eq To Elemental Zinc22.5 Mg

SACHET

L-Arginine

- Lowers the risk of pre-eclampsia during pregnancy by promoting vasodilation through increased production of nitric oxide
- Improves fetal growth in IUGR by increasing uteroplacental perfusion and foetal nutrient delivery

Proanthocyanidin

Potent antioxidant and acts as reactive oxygen species scavenger

Zinc

Lowers the risk of preterm birth & improves foetal growth

Folic Acid

Protects against fetal structural anomalies, including NTD and congenital heart defects

Indications:

PREVENTION OF PREGNANCY COMPLICATIONS

PREECLAMPSIA || NEURAL TUBE DEFECTS

PRETERM BIRTH || IUGR



For a Touch of Gold in your Health



L-Arginine 1000mg + Lycopene 2500mcg

Tablets

L-ARGININE: Useful for heart& blood vessel conditions including CHF, Chest Pain, High blood pressure & Coronary artery disease also visual for interim heart Claudication, Erectile dysfunction & male infertility.

LYCOPENE: Lycopene is useful for preventing heart disease, atherosclerosis.

OXIDATIVE STRESS

MALE INFERTILITY

ERECTILE DYSFUNCTION

AS A CO-PRESCRIPTION IN DIABETES & HEART ELEMENT



The Best & Most Advanced PROBIOTIC





- Prevention of NEC & late onset sepsis
- Prevention of GI infections (Low Birth Weight neonates)
- Strengthening Flora GI
- Neonates & infants with atopic diseases

Globally recommended in

ADD (Prevention & Treatment)

Acute Gastroenteritis


Rotaviral Diarrhoea

Acute Diarrhoea

IBS / IBD

Wrap-up & Discard the Infection Bacteria





- Wide spectrum bactericidal activity against gram-positive & negative bacteria & anaerobic bacteria & strains that produces ß-lactamases
- Greater potency & slower clearance than cefaclor & also show greater sensitivity to pathogens
- B.i.d is as effective as amoxicillin / Clavulanate t.i.d. In acute bacterial maxillaty sinusitis

Clavulanic Acid

• Prevents drug resistance by pathogens against ß-lactam antibiotics

Indications

Pharyngitis/Tonsillitis | Otitis Media / Maxillary Sinusitis Skin & Skin-Structure Infections | Urinary Tract Infections / Gonorrhea **Bone & Joint Infections**

Cut the Link Between Resistant Bacteria & Body...



- Antimicrobial activity against aerobic gram-positive & negative bacteria & against anaerobic organisms
- Higher cure rates compared with other oral cephalosporins
- Superior than amoxicillin/clavulanic acid in AECB & pneumonia in elderly patients
- Efficacious & high success rate in treating pharyngotonsillitis, bronchial infections & Bacterial pneumonia

Clavulanic Acid

 More potent (14times) than sulbactam at inhibiting the extended-spectrum enzymes



ENT INFECTIONS | LOWER & UPPER RTIS SKIN INFECTIONS | URINARY TRACT INFECTIONS

Treat Nausea and Vomiting to

Reset the Disturbed Life...





- Potent antiemetic; acts peripherally and centrally
- Well tolerated, produces rapid onset of action with high and sustained response rates
- Prevent nausea & vomiting associated with emetogenic chemotherap

CHEMOTHERAPY-INDUCED NAUSEA & VOMITING

RADIATION-INDUCED NAUSEA & VOMITING

POST-OPERATIVE NAUSEA & VOMITING

GASTROENTERITIS



Help the **Stomach** to **Digest The Heavy Meals**

Gestogyme FUNGAL DIASTASE 50MG +

PEPSIN 10MG **DIGESTIVE SYRUP**

FUNGAL DIASTASE

Starch degrading enzyme; used as effective digestive aid Helps in digestion of carbohydrate & starch in diet into simple polysaccharides & sugar

PEPSIN

Breaks down proteins into smaller pieces Helps in treating digestive disturbance due to impaired production of gastric juice

INDIGESTION

DYSPEPSIA

LOSS OF APPETITE

BLOATING

BELCHING

ABDOMINAL DISCOMFORT



Gestrodydra-10 Dydrogesterone 10 mg Tablets

• Used to treat a variety of conditions related to progesterone deficiency

• It relieves the unpleasant symptoms associated with progesterone deficiencies such as menstrual pain, premenstrual syndrome, infertility, irregular periods or signs of menopause.

Indication

Treatment of Female infertility | Treatment of pain during mestruation

Treatment of Premenstrual Syndrome (PMS) | Treatment of Endometriosis

All-In-One Solution for Mixed Genital Infections...





FLUCONAZOLE 150MG+AZITHROMYCIN 1000MG+SECNIDAZOLE 1000MG

TABLETS

- Effective in the syndromic management of pelvic inflammatory disease
- Shows excellent cure rate (93.5%) in pelvic inflammatory disease
- Shows excellent symptomatic relief (94.3%) with less recurrence rate in syndromic management of lover genital infection
- Routinely recommended in all cases of lower genital infection as sage and effective strategy

Abdominal Vaginal Discharge Due to:

Vaginal Candidiasis | Bacterial Vaginosis

Trichomoniasis | Gardnerella Vaginalis

In Severve Case of

Diarrhoea / Dysentery

when the little tummies coil for comfort



Also Available:





Supperior & Established Synergism for Superiority to novel Therapies

Ofloxacin

Supper Spectrum Antimicrobial with least resistance problem

Metronidazole

Supper Spectrum Antiprotozol

Simethicone

- It breaks down bubbles of gas in Stomach and duodenum causing its expulsion by belching or in the from of flatus
 - Intra Abdominal Infections
 Acute Diarrhoea & Dysentery
- Better Therapeutic Effecacy Over Od Levofloxacin
 Plus metronidazole in treatment of upid in adolescents



Trypsin- Chymotrypsin (10000 Au)

Tablets



Trypsin & Chymotrypisn:

- Proteolytic enzyme.
- Significant clinical success in the management of major trauma and wound healing and in reducing the healing time.
- Current research indicated that the most therapy for reduction of exacerbation of COPD patient with poor lungs function.
- Reducing pain by oral enzyme therapy in rheumatic diseases.

- Post Operative trauma
- Accidental Conditions
- Athletic Injury
- Sciatica

Advanced Control over Painful Inflammatory conditions







Aceclofenac

- Well tolerated, better GI tolerability than other selective Cox-2 inhibitors
- Faster and more potent effect than other NSAIDs

Paracetamol


First-line therapy for fever and mild-to-moderate pain

Serratiopeptidase

Anti-inflammatory, anti-oedemic and fibrinolytic activity

OA / RA / ANKYLOSING SPONDYLITIS | LOW BACK PAIN / DENTAL PAIN GYNAECOLOGICAL PAIN / AND PAIN & INFLAMMATION

Regain & maintain Perfect Health with...





Pyridoxine Hydrochloride 3.0mg+Nicotinamide 100mg+Cyanocobalamin 1.5mcg+Folic Acid 50mcg+Chromium Picolinate 40mcg + Selenium 40mcg+Zinc Sulfate Monohydrate 7.5mg

TABLETS

Pyridoxine

- Involved in the production of hemoglobin in red blood cells
- Helps maintain the healthy nervous System

Nicotinamide

Helps calm the nerves as well as impatient minds

Cyanocobalamin

Helps to maintain metabolic activities, blood cells & nervers

Folic Acid

Helps prevent or reverse diabetic neuropathy

Zinc

Zinc also plays a supportive role in neuronal activity & memory.

Selenium

Provides antioxidant nutrients to blood and bone marrow

Indication

In Recurrent Allergic Conditins





Levocetirizine

- Third-generation non-sedative antihistamine
- A Potent and selective antagonist of peripheral H1-receptors
- Reduces Cascular permeability

Montelukast Sodium

- Blocks Leucotriene Receptors effective in Chronic Allergic Rhinitis
- An Effective and sage option for the treatment of asthma, inhibits both early & late phase broncho-constriction due to antigen

Montelukast plus levocetirizine is a more effective strategy than monotherapy in the treatment of persistent allergic rhinitis

Cough & Cold | Nasal Allergy with Congestion

Seasonal Allergic Rhinitis | Bronchitis Associated with Asthma



COUGH & CONGESTION

Each 5ml Contains: Madhu (Honey) 250mg. Jaiphal (Myristica fragrans) 50 mg. Somlata (Ephedra gerardiana) 50 mg. Bansa (Bambusa arundina cea) 25 mg. Kantakari (Solanum xanthocarpum) 250 mg. Mulethi (Gly cyrrhiza glabra) 175 mg. Sonth (Zingiber officinale) 150 mg. Kali mirch (Piper nigrum) 25 mg. Amaltas (Cassia fistula) 150 mg. Kapoor (Cinnamomum camphora) 125 mg. Tulsi (Ocimum sanctum) 25 mg. Vasaka (Adhatoda vasica) 175 mg. Kakra Singhi (Pista da integerrima) 50 mg. Bahera (Terminalia bellirica) 50 mg. Banafsha (Viola odorata) 125 mg. Khatami (Althaea officinalis) 50 mg. Nagarmotha (Cyperus s cariosus) 125 mg. Apamarga (Achyranthes as pera) 25 mg. Lasura (Cordia myxa) 25 mg



- * A potent mucolytic
- An effective demulcent
- ★ Offers a natural relief in cough management



Smoker's Cough


Productive Cough

Spasmodic Cough

Non-Productive Cough

Acute and chronic bronchitis

Win Over the **complications During Pregnancy....**



First-line drug for preventing recurrent preterm labour in high-risk women

- Acts on the myometrium in pregnancy causing relaxation of myometrial smooth muscle, oxytocin blockade & inhibition of gap junction formation
- Used to prevent preterm delivery before an episode of preterm labor
- Prevents recurrent spontaneous preterm birth including vaginal bleeding or abruption in the current pregnancy

Amenorrhea

Threatened abortion

Prevention of Preterm Delivery

Dysfunctional Uterine Bleeding



Methylcobalamin 1500 Mcg+l-methylfolate 1gm + Pyridoxal 5-Phosphate 0.5mg **Tablets**

IUGR



Methylcobalamin:

Bioidentical the B12 from occuring in human physiology & better than cyanocobalamin due to its superior bioavailability and safety profile

L-Methylfolate:

More effective in reducing homocysteine levels than folic acid

Pyridoxal 5-Phosphate:

Helps methylcobalamin and L-methylfolate in reducing hyperhomocysteinemia thus reducing pregnancy complications

Combination:

Reduces the risk for congenital anomalies such as neural tube defects & improves infant health


Prevention of Pregnancy complications

PRETERM BIRTH PRE-ECLAMPSIA

NEURAL TUBE DEFECTS



Pull the Trigger against Resistant Pathogens





Amoxycillin Trihydrate 500mg + Clavulanic Acid 125mg

TABLETS

Amoxycillin Trihydrate & Clavulanic Acid

Combination is higher active against beta-lactamase producing *H.influenzae and M. catarrhalis*

First-line antibiotic drug for severe infections

Higher eradication rate (96.0%) than azithromycin (80.4%)

BRONCHITIS || ACUTE OTITIS MEDIA

ACUTE BACTERIAL SINUSITIS

GENITO-URINARY TRACT INFECTION

SKIN & SOFT TISSUE INFECTIONS

RESPIRATORY TRACT INFECTION

DENTAL INFECTIONS || ENT INFECTIONS



Normalise the Irregularity and Complications of Menstrual Cycle

Noreacetate-TEN


Norethisterone Acetate Control Release 10 mg

Tablets

- » Effective at delaying the onset of menstruation and regulating short menstrual cycles
- » Reduces degree of menstrual blood loss in women with proved menorrhagia
- > Well-tolerated, effective option to manage pain and bleeding for all stages of endometriosis
- > Effective in decreasing lesion size of ovarian endometriomas

Indications

DYSFUNCTIONAL UTERINE BLEEDING | PREMENSTRUAL SYNDROME
TIMING OF MENSTRUATION | ENDOMETRIOSIS
MENORRHAGIA (HJYPERMENORRHOEA)



Folic Acid

- Vital for the maintenance of normal erythropoiesis
- Safest drug in treatment of morning sickness reduces th chances of neural tube defects

Dodylamine

Doxylamine acts by competitively inhibiting histamine at H1 receptors.
 It also has substantial se4dative and anticholinergic effects.

Pyridoxine Hcl

 Involved in the production of hemoglobin in red blood cells and neurotransmitters like serotonin. B6 is required for the metabolism of MSG.

Indications

Nausia & Vomiting During Pregnancy

HIT THE Pathogens in Easy Step with...



CEFPODOXIME PROXETIL 200mg

TABLET



Potant antibacterial activity against both Gram-positive and Gram-negative bacteria

Effective and improves patient compliance as defaclor (tid) in the treatment of acute exacerbation of COPD

Effective and well-tolerated treatment for uncomplicated N. gonorrhoeae infection

ACUTE OTITIS MEDIA

SKIN & SKIN STRUCTURE INFECTIONS

URETHRAL GONORRHEA

URINARY TRACT INFECTIONS

CHRONIC BRONCHITIS

PHARYNGITIS / TONSILLITIS